

# The Fidelity of “Feel”: Emotional Affordance in Virtual Environments

Jacquelyn Ford Morie, Josh Williams, Aimee Dozois, Donat-Pierre Luigi

University of Southern California Institute for Creative Technologies (ICT)  
13274 Fiji Way, Marina Del Rey CA 90292  
morie/williamsj/dozois/luigi at ict.usc.edu

## Abstract

Virtual environments (VEs) should be able to provide experiences as rich and complex as those to be had in real life. While this seems obvious, it is not yet possible to create a perfect simulacrum of the real world, so such correspondence requires the development of design techniques by which VEs can be made to appear more real. It also requires evaluation studies to determine if such techniques produce the desired results.

As emotions are implicated in our phenomenological understanding of the physical world, they should also play an integral role in the experience of the virtual one. Therefore, a logical sequence of experimentation to understand how VEs can be made to function as emotion-induction systems is in order. The Sensory Environments Evaluation (SEE) research program has developed a twofold design process to explore if we react to virtually supplied stimuli as we do to the real world equivalents. We look at manipulating both the sensory and emotional aspects of not only the environment but also the participant. We do this with the focus on what emotional affordances this manipulation will provide. Our first evaluation scenario, *DarkCon*, was designed in this way to produce a strong sense of presence. Sixty-four subjects have been fielded to date and the data is currently being analyzed for results. We hope to find that rich design techniques along with the frame of mind with which a VR experience is approached will predictably influence perception and behavior within a virtual world. We will use these results to inform continuing research into the creation of more emotionally affective VEs.

**Keywords:** Immersive Environments, Virtual Environments, VEs, Virtual Reality, emotion, affordance, fidelity, presence, design, evaluation

---

---

## 1 Introduction

It has long been posited that virtual environments (VEs) can substitute for real world experiences. It is only recently, however, that the VR community has begun to focus on research that correlates the VR experience to exacting measures that can corroborate this assumption. In 2002, the University of North Carolina (UNC) took the first objective step in testing a virtual environment for its emotional equivalence to a real world experience. Starting with an extremely well known arousal stimulus (a specific one that our brain wiring has built up a predictable response to over our evolutionary past as demonstrated in Walk and Gibson’s classic experiment with babies) (Walk & Gibson, 1961) Fred Brooks and his research group constructed a virtual world to replicate these real world stimulus conditions. Subjects were exposed to a deep pit that appeared to be a space into which they could fall. In real life, exposure to such a space (whether real or painted as a trompe-l’oeil), results in increased heart rate (HR) and skin conductance response (SCR). UNC’s study proved that their VE induced physiological responses were in alignment to those generated by the real world correlate. (Meehan, Insko, Whitton & Brooks, 2002)

The Sensory Environments Evaluation (SEE) project at USC’s Institute for Creative Technologies has taken the next step: determining if it is possible to obtain a similar measure of response to stimuli that do not have such predictable reaction patterns. To do this we created a VE designed with multi-sensory inputs and “hot spots” specifically crafted to produce emotional response. We took special care in the design process to set up situations and elements that presented opportunities for greater connection to the virtual experience, leading, we hypothesize, to greater sense of Presence, which is a topic of intense discussion in the VR community today (Ijsselstein & Riva, 2003).

We then tested sixty-four subjects within this environment, recording their biometric and behavioral data throughout to see if responses correlated to our expectations.

Our ultimate goal in this research is to determine whether a VR environment can be reliably used as a viable substitution for real world experience, to the level of producing comparable biographic memories via the virtual emotional stimuli. In other words, can virtually induced emotional memory form similar neurological bindings as occur in real life? If we can prove this does happen, the implications for VR in the areas of education, training, entertainment, healing and personal growth may be profound.

## **2 The role of emotions within VEs**

Emotions are implicated in our phenomenological understanding of the physical world, and therefore we surmise they play the same integral role in our experience of a virtual one. In addition, an abundance of recent research points empirically to the interconnectedness of emotions, cognition, learning and behavior, indicating that emotions cannot be easily dismissed when focusing on pedagogical goals. Emotions have been shown by Lane and colleagues (Lane, Chua & Dolan, 1999) to heighten the attention and response to visual cues, and by implication this may apply to other senses as well. Emotions provide the affective valence to arousal states and contribute to the qualia, or subjective phenomenal experiences, of the virtual environment. They are also integral to the formation of many desired affordances the VE should include if it is to possess a high degree of presence. A logical sequence of experimentation is therefore indicated to understand how/if VEs can be made to function as effectual emotion-induction systems. Towards this end, the SEE project is investigating several aspects of the human participants' emotional state within virtual environments used for training.

We would ultimately like to empirically measure emotional responses of the VE participants. However, even the most sophisticated biometric equipment (functional magnetic resonance imaging or fMRI and Near Infrared Spectroscopy, or NIRS) can do little more than measure increased blood flow in specific brain regions, as described in (Hoshi, Chen & Tamura, 2001). As such systems are also costly, we have utilized instead HR and SCR biometrics, mentioned previously, that record arousal states. While these measures may not tell us the specific emotions being experienced, they do provide a reaction status that can be correlated in time to our designed emotional triggers.

Our approach is threefold. First we look at the design process through the various sensory inputs available to the VR practitioner (sight, sound, smell, haptics) and determine how these can be effectively combined to elicit emotional responses from the participant. Secondly, we examine how emotions provide affordances within the VE that enhance feelings of presence and connection. Thirdly, with our findings from the first two processes, we plan to devise a methodology for using emotions to increase the effectiveness of virtual environments for a variety of purposes. This paper focuses on the first two aspects of our approach, and then describes a study that explores these areas.

### **2.1 Affective Virtual Environment Design**

The affective nature of a VE must be integrated into the design thinking at the earliest stages. As important as devising a traditional map of the space to be built is formulating the emotional map of this same territory. Space, virtual or otherwise, is not an entirely neutral container; it carries within it the basis for how people will respond to it. Of course, equally as important is what the person entering the space brings to it. It is up to the designer to manipulate both these aspects: the space and the person who will experience it. We will next describe our twofold design process that takes into account both these perspectives.

#### *2.1.1 Setting up the environment*

##### **2.1.1.1 Tools and approach**

The tools of the immersive environment designer include (to date and with varying degrees of fidelity) four of the five basic sensory inputs: sight, sound, smell and haptics. It is somewhat inaccurate to think of these as digital reconstructions of "real" sensory phenomena, as their ultimate effect is to send the same physical signals to our neuronal pathways. Digital graphics, through various delivery modalities, are still output as photons that travel to

our visual cortex through our optic nerve. Digital sounds, through the medium of air, still produce waves that cause vibrations in our otic mechanisms, and haptics rely on stimulating touch receptors throughout our bodies. Smells are a rather unique sensory system. Being biochemical in nature, they rely on actual molecules entering our nasal epithelium and binding to odorant receptors and therefore these are not susceptible to digital encoding. (Buck & Axel, 1991)

Computer-rendered visuals can be created in a simple form, providing the minimum functionality to represent a specific or idealized space. While sometimes such minimalism, or abstraction, is desired because it is critical to the goals of the VE, it is not the way the real world works. Our visual world is a messy conglomeration of colors, textures, and objects in rich profusion. Such richness constitutes corroborative detail that we, as humans have been conditioned to expect. In a realistic immersive world, which aims to replicate space as the reality with which we are familiar, any lack of this detail may be perceived as fake or contrived.

Just as visual richness is essential to our phenomenological knowledge, so too is our multisensory experience. We rarely perceive the world one sense at a time. All are orchestrated in a rich perceptual soup/concert. Our brain has evolved to deal with precisely this type of manifold experience. Each of our neurons possesses upwards of 10,000 connections. Neurons in the V1 region of the brain (our first tier vision area), for example, are also connected to a multitude of other sensory regions through those connections. (Felleman & Van Essen, 1991) This recent neurological understanding has contributed to our methodology of looking at each world element as part of an integrated sensory package. The effect of this approach is to bring about a veridical space that essentially “feels real”, even if no one of its sensory elements is perfectly realistic.

#### 2.1.1.2 A typical design practice

The SEE Project’s first experimental world is *DarkCon* – so called because it emulates a nighttime reconnaissance mission with the participant in the role of a scout who must make a determination of potential danger from inhabitants of an abandoned building complex near a river. The choice of nighttime was made explicitly to impose difficulties (obscurity, concealment, etc.) on the mission’s observational tasks, as well as to elicit a sense of unease based on these difficulties.

We began the design process by considering each element of the virtual world through its denotive and connotative sights, sounds and smells. For example, the first segment of the user’s journey occurs in a dilapidated culvert. The team members were asked to place themselves in the culvert mentally and describe it in evocative sensory terms, answering the questions: What is in the culvert? What noises do you hear? What does it smell like? What has it been used for?

We collectively imagined the culvert with mossy, crumbling brick walls, a trickle of sluggish water running down its center, edged with fetid muck. There would be detritus too, flotsam carried by the rushing waters of the rainy season and deposited here: bits of tree limbs, old bike wheels, a rubble of rocks and miscellaneous indeterminate garbage. We conjectured elements of a waterworks infrastructure: hissing pipes, thumping generators that powered sputtering red lights, seeping spigots and shadowy alcoves. What creatures might populate such a culvert? Small creatures like bats might hang from the ceiling pipes, dropping pungent guano into the mud, and rats would most certainly skitter amongst the debris searching for scraps. Humans have left their mark in this culvert too: bits of cultural refuse: a worn suitcase, its contents spilled out into the grunge, empty tin cans and abandoned water bottles, cigarette butts here and a photo album with forgotten faces there, all left to the fate of the elements.

Now to make it more evocative and heighten the “feels real” sense: the bats should be disturbed if one passes too near; the rats scatter to hiding places; there could be evidence of violence: blood stains on the walls, bullet shells in the mud. The culvert itself should add a sonorous reverb to the sounds of trucks and other vehicles traveling on the road above. This shakes loose bit of wall and rock, with the effect of startling anyone nearby. Mysterious creaks and rumbles that cannot be easily identified punctuate the aural curtain, as do sounds from the outside, distant trains and dogs barking, a barely perceptible gurgle of a river and chirping crickets. In this way we create the world in our mind, and recreate it in the sensory aspects of the virtual world.

We use standard tools to create the visuals and sounds conjured by the descriptions we have formed: 3D modelling, texturing and animation software, and digital sound mixers. Smells are not so straightforward. As there are no simple primitives for smells (as there are for color, in red, green and blue), each odor in the world is a complex and

distinct scent. We have devised a prototype collar to hold four unique scents that can be triggered individually to release at specific locations in the virtual terrain. (Later versions will include up to ten unique scents.) We also use a special form of passive haptics provided by an infrasound generator that can serve as an almost imperceptible “soundtrack” for the experience. Infrasound serves augment feelings of unease felt by a participant so its judicious use in the VE can provide a sense of anxiousness where needed. (Backteman, Köehler & Sjöberg, 1983)




Figure 1: The ICT scent collar



Figure 2: Bats in the culvert

Such attention to the “story” of the place through its corroborative detail and sensory orchestrations contributes immensely to the phenomenological realism of the VE. It provides expected details that concur with real world experience and creates the potential for a powerful sense of presence.

### 2.1.2 Setting up the participant

An affective VE does not work in isolation: it is a complimentary dialogue between environment and user. The participant is entitled to some understanding and setup for what he or she is about to undergo, or their experience may be ambiguous. This is an often-neglected aspect of virtual world design. A subject is typically told nothing (beyond a cursory introduction to how the VR accoutrements work), or exactly what the world is supposed to do to/for them through verbal or printed commentary. In our view, it is preferable to establish a connection to the VE for the participant that allows the dialogue to flow naturally from the individual’s innate reactions. To achieve this we settled on the mechanism of psychological *priming*. (Tulving & Schacter, 1990) (Schacter & Buckner, 1998) Our priming consists of a short video clip that precedes entry to the virtual world. The video ostensibly serves to brief the participant on a mission that must be accomplished during their time within the VE. But construction of the priming accomplishes several more subtle but critical factors:

- It sets up a vehicle for a context-driven *emotional connection* by establishing a backstory.
- It serves to construct a *schema* for user experience
- It supplies reference points that allow a user to make associations and fill in the gaps as the experience unfolds.
- It invokes *motivation* by providing a goal to accomplish.
- It allows for dissemination of both overt and subliminal cues that can steer subsequent *interpretation* of the VE objects and events
- It lends more *substance* to the VE making it more convincing as a total experience.

When devising the priming video we take into account not only the words that are spoken, but also how they are delivered. The tone of voice, who is on camera, what persona is projected, the costume that is worn, and the setting they are in, are all clues that users will internalize, whether they are aware of them or not. Because we feel these aspects to be critical to the success of the experience, we chose to concentrate our first evaluation efforts on determining the effect such priming has on the user’s behavior and arousal states while in the VE.

## 2.2 Affordances provided by our design process

The term affordances was first defined by perceptual scientist James J. Gibson (1979) to refer to the connection between perceptual elements in the environment and the possibilities for action they present to the human perceiver. Our work builds on Gibson's affordances by expanding the concept to include a wide range of affective elements that provide opportunities for emotional *reaction*. Affective elements require a broader definition of perception because they may fall below the levels of conscious perception and still afford mental and physical reactions. We use the term *emotional affordance* to refer to this concept and consider it to be a critical part of the VE design process. If perceptual affordance is a perceptual cue to the function of an object that causes an action, then emotional affordance is a sensory cue to the function of a stimulus that causes an emotional reaction.

Designed emotional affordances must seem natural to the situation. They can serve several purposes, including subtly guiding the participant along a desired path through the VE. Clive Fencott (Fencott, 1999) describes affordances in terms of three basic perceptual opportunities – sureties, shocks and surprises – that could be designed in a VE. He breaks down these opportunities further into attractors, connectors and retainers. This is similar to our work in what we term *coercive narrative* (Morie, 2001) that includes not only the perceptual elements Fencott outlines, but also subliminal and emotional components that contribute to what we see as a continuum of affordance. We propose this continuum of affordance as complementary and overlapping realms of perception AND emotion. All affordances are user contingent; in a VE they are essentially *triggers* that result in an action (physical response) or a reaction (emotional response) from the participant.




Figure 3: The affordance continuum

There are a great many examples of these affordances in the *DarkCon* scenario and we will describe a few. First, the path of the culvert in which the journey starts limits the participant's movements, requiring them to traverse the tunnel (spatial surety or coercive narrative). The human refuse evokes questions of who might have left these things and what the people were doing here (associate memory, which helps build a more detailed story about the place). The small creatures in a dark and unknown space heighten the sense of unease, as do the unidentified sounds (is someone sneaking up on me?) and the rumbles from the trucks passing overhead (I won't be able to hear if someone else is in here). These last two sensory cues not only elicit fear, they also tend to lower an emotional threshold that may cause other stimuli to have effects they might not have in more familiar emotional territory. In addition, use of the infrasound frequencies will tend to cause people to avoid its presence if possible, and thus affects movement (as a detractor) that is not only subliminal but that might not otherwise seem warranted. We use perceptual cues (attractors) such as loud sound and flashing lights to attract the subject's gaze towards an important event in the landscape. We rely on startle mechanisms (Fencott's shocks) where participants disturb the bat colony causing several bats to speed out into the night. This not only increases the aversion to the culvert space, but also points the way out of the space. (If the bats can go that way then so can I.)

### 2.2.1 From design to evaluation

Now that we have our world designed and built as affectively as possible, and have provided the basis for a schema through which the world is to be experienced, we are ready to use it for our initial studies. Despite the broadness of the SEE Project's ongoing interests, we limited ourselves to first focus on the aspect of priming to see if variability here would provide significant differences in a subject's behavior and apprehension of meaning ascribed to the VE experience.

### 3 Experiment Design Process

For this first study we tested 64 subjects ages 18-40 drawn from a standard university population, divided evenly across two groups. The first group receives priming that indicates they will be experiencing an entertaining video game, and the other group is made to believe that they will be entering a serious military training exercise.

#### 3.1 Evaluation Procedure

Our experiment starts with standard pre-experience including a modified Immersive Tendencies Questionnaire, or ITQ (Witmer & Singer, 1998), the Simulator Sickness Questionnaire, or SSQ (Kennedy, Lane, Berbaum & Lilienthal, 1993) and the Virtual Environments Questionnaire, VEQ (Usoh, Catena, Arman & Slater, 2000) Most important among the modifications we have made in the ITQ are questions that detail a participant's history with various types of video games. We thus can compare game players and non-game players to see if this subject condition has any bearing on the outcomes of primed behavior observed in the training simulation. When participants are brought into the room to fill out these questionnaires, we have already started the priming process. Themed posters decorate the walls of the room: game-based for the game primed participants and serious military posters for those undergoing the second form of priming. These are not referred to but form a backdrop in the room in which participants fill out their forms. In fact, if asked about them, we say we cannot comment about anything in the room.

Subjects are then outfitted with physiological monitors that record HR and SCR and afterwards brought into ICT's Virtual Reality Theater where they are fitted with the VR viewing and navigation equipment. To minimize any unfamiliarity with the VR devices they must use (an InterSense acoustic and inertial tracker, with X and Y dimensions mapped onto a joy stick, and Z, yaw and pitch mapped onto a sensor mounted on the head mounted display, or HMD) we let them practice in a VE "Tutorial Room". This room is architecturally and emotionally neutral, but allows a person to experience the range of movements and observational skills required within the 3D evaluation scenario. We found this to be a necessary step as, absent such familiarization, participants often perform with a very limited range of movement, such as not crouching or bending down, and looking only straight ahead with "tunnel vision".

Once the participant has gained adequate familiarity within the tutorial room (determined by the evaluator and subject together), we record a final baseline for the physiological data, which allow us to compensate for any impact the overhead of using the VR equipment might induce. It is now time for the experiment to begin. Still in the HMD, the participant is shown one of the two video clips that outlines the mission he or she will undertake in the *DarkCon* VE.

Each version of this video reflects one of the two priming conditions. Each two-minute clip is delivered by an appropriately themed narrator (one dressed comfortably in civilian clothes and one in military uniform), in an appropriately themed environment (a den lined with books or a room with military maps on the walls, respectively). While the specific details of the mission are consistent between the two briefings, the beginning and ending segments of the scripts vary to support the priming goals.



Figure 4: Themed actors deliver the priming video




Figure 5: One of the ending scenes—dog attack

The mission itself consists of a basic observational exercise to determine if suspected rebels inhabit the area, and a simple task of dropping a GPS transmitter near a specific building if enough clues indicate that it is. The use of a civilian subject pool required us to describe the mission in language that civilians could understand. An early version of the mission briefing, written with military subject matter experts, turned out to be too difficult for civilians to grasp.

At the close of the priming video the *DarkCon* experience comes into view in the stereo HMD. Given their mission briefing instructions, participants know what they need to do and where they need to go in the virtual environment. Now, they may choose to follow the mission to the best of their ability, or they may not. Because of the free will given to the participants, in essence each experience is unique. Not having commensurate experiences may appear to be a problem when embarking on studies in VE, but it is this agency that is precisely why we are interested in such experiences. Each person's choices and decisions within the unscripted world are their own. Such choice is not only necessary for this particular study, but has rich implications for individualized training or education that includes cognitive decision-making. The only exception to this free agency is that we have made it virtually impossible to complete the mission without being discovered. There are several variations on this discovery (for example, vicious dogs, landmines, being shot) but all are designed to elicit strong arousal states.

## **4 Data mining in multi-variate dataspace**

Because of the participant's agency and the fact that we are utilizing several types of data collection, both qualitative and quantitative, this study poses challenges in data analysis. Data includes subject characteristics from questionnaires (described previously) administered both before and after the VE experience, behavioral and biometric data collected throughout the virtual environment experience, and recall and retention tests administered directly after the experience and one week later, respectively. While the pre and post instrumented tests are dealt with in more traditional ways, the quantitative recordings of the participant data has motivated development of new tools to more effectively deal with it.

### **4.1 Visualization of behavior and arousal data**

We are evolving visualization techniques to measure behavior and correlate it to physiological responses. With a custom tool we call Phloem, we can investigate a full 6 DOF recording of all the participant's movements (x, y location, z altitude for stoop/stand, and head orientation to ascertain what is being looked at) from the entirety of the experience and view this alongside the temporally associated physiological data. Phloem also allows queries to the stored data, such as how long a participant took to go through the world (or any segment thereof) as well as where and for how long they remained at any particular point. Did he or she spend a great deal of time in the tunnel, for example, indicating perhaps that the participant was taking greater care in his observations? For example, we may want to know how many times and for how long a participant observed a particular object of interest, say a machine gun, so that we can compare this to the number of times this object was reported, or to correlate whether the sighting created a increase in HR or SCR. (This is actually an accounting of how long the object was within the field of view of the participant. We can assume that if the object was in that FOV for a certain number of seconds, the chances that the object was seen by the participant are good.)

The recorded simulation data can also be scrubbed over visually through a GUI that shows the values throughout the experience. As well, this data can drive a full sensory recreation of the scenario for further perceptual examination and correlation. Having this data allows us to intuitively associate specific behavioral aspects with the physiological data being captured throughout, which can then be compared to participant data from the questionnaires and self-reports.

## Phloem screens of a user experience




Figure 6: Data as shown by the Phloem visualization tool

## 4.2 Detailing participant response

To determine the effect of our emotional affordance design we must look carefully at each subject's personal experience. The Phloem tool is invaluable in this approach. We have divided the experience into *epochs of interest*, the first within the culvert and the second in the open terrain, looking at the stimulus response within these epochs. As an example we will detail one subject's experience via his recorded skin conductance response, as displayed in Figure 7, below. With SCR a stimulus-related response is generally observed within 1-4s after the stimulus occurs. For this reason a time scale of 20s with a minor of 4s is displayed to help read the annotated SCR graphs corresponding to the time spent inside the culvert (154.8s) and outside the culvert (266.4s) before this particular subject was detected by the roof guard/sentry. The unit for the SCR is 10mV/uS (10 millivolts per micro siemens), which is the gain used for this subject MN03184A. On the vertical axis 1 unit = 0.1uS.

The first large SCR signal displays an anticipatory response, *i.e.* the subject had just started out in the dark tunnel, and was looking ahead. He sidestepped and walked along the wall towards the red glow of an alcove containing a pump, which was heard but not seen. Just as the participant reached the alcove, he turned his gaze to his right and down, noticing debris (in this case, a water carrier labeled *Voda*). After a turn he finally made a visual contact with the pump, then looking back over to his left and down he noticed a baby doll in the mud. Note that when the participant looked at details (*Voda* and the debris) strong SCRs were elicited. The participant then moved on towards overhanging pipes and looked more closely at the pipes and bats hanging from them. A response from the bats flying away is observed (which we designed as a startle stimulus). As he continued down the side tunnel another response is observed. The participant saw and heard stones rolling down a small dirt mound while hearing a distant (truck) rumble, which produced two clear SCRs.

At the culvert exit, but before leaving its confines, the participant looked outside (left and right), with an observable small cluster of SCRs and simultaneously, a pronounced drop in HR (not shown on this chart). This might reflect some an attentional orientation of the participant to the novel environment of the outside world. At the exit a loud truck was first heard, and then seen, with the subject's gaze traveling upwards to the overhanging bridge, bringing the large truck into visual contact - both stimuli producing small responses. It is interesting to observe the responses when the main building, the wrecked car wreck and the damaged building are seen. Of great interest to our study is to notice the subject's response when he first saw the lookout guard on the rooftop. It seems that there was a slight confusion in deciding where to go next and the greatest response appeared when the subject looked back at the culvert entrance. Did he feel exposed now to more imminent danger? Was he searching for a place to hide? A little later, this subject saw the roof guard again, and reacted by running for cover behind a wrecked car (placed there for exactly this purpose). At that point he was detected, and the end of the scenario was played. In this case the scenario was ended with a dog attack. Overall, this subject's SCR indicates responses at many of our purposely placed emotional hotspots.




Figure 7. Annotated Skin Conductance results from one DarkCon subject obtained via a replaying of the experience with Phloem

## 5 CONCLUSIONS

We have found that subjects demonstrate a wide range of behaviors and responses. This is to be expected; it is precisely these individual manifestations of behaviours and responses within a free agency virtual environment that most interest us. While it took time to create the annotations you see here, such initial forays into this complex data space have shown us what is important to automate. For example, we can overlay the heart rate derived from the EKG measures onto the SCR diagrams. Other information can be extracted from the data and visualized via Phloem. We can determine, for instance, what the participant has likely seen by setting up queries to Phloem's behavioral data to determine if, when, and for how long a stimulus object has been in a subject's field of view (what we call *looks*). With that information we can then set up a graphic overlay of such *looks* with the SCR and HR data and easily find the correlations present per each subject's unique experience. We eventually expect, with a large enough subject population, to be able to expose typical patterns of behavior within such free agency worlds.

Ongoing work will result in even more robust tools to effectively deal with the multi-variate data from our virtual environment studies. The SEE Project is just beginning this long term program of research that we hope will benefit the entire community of virtual environment researchers.

## Acknowledgement

The project described here has been sponsored by the U.S. Army Research, Development, and Engineering Command (RDECOM). Statements and opinions expressed do not necessarily reflect the position or the policy of the United States Government, and no official endorsement should be inferred.

## References

- Backteman, O. Köehler, J., and Sjöberg, L. (1983) Infrasound: Tutorial and Review, Part 1, *Journal of Low Frequency Noise Vibration*, 2:1-31.
- Buck L. and Axel R. (1991) A novel multigene family may encode odorant receptors: a molecular basis for odor recognition. *Cell*. 65(1): 175-87.
- Felleman, D. J. and Van Essen, D. C. (1991) Distributed hierarchical processing in the primate cerebral cortex, *Cerebral Cortex*, 1:1-47.
- Fencott, C. (1999) Content and Creativity in Virtual Environment Design, presented at the 5<sup>th</sup> International Conference on Virtual Systems and Multimedia (VSMM); September 1999, Dundee, Scotland, U.K., retrieved September 30, 2003 at <http://www.scm.tees.ac.uk/users/p.c.fencott/vsmm99/welcome.html>.
- Gibson, J.J. (1979). *The Ecological Approach to Visual Perception*. Houghton Mifflin.
- Hoshi, Y., Chen, S-J., and Tamura, M. (2001) Spatiotemporal imaging of human brain activity by functional near-infrared spectroscopy. *American Laboratory Journal*, 33(6), 36-39.
- IJsselsteijn, W.A., Riva, G. (2003). Being There: The experience of presence in mediated environments. In: Riva, G., Davide, F., & IJsselsteijn, W.A. (eds.), *Being There - Concepts, Effects and Measurements of User Presence in Synthetic Environments*, Amsterdam: IOS Press. 3-16.
- Kennedy, R. S., Lane, Berbaum, and M. G. Lilienthal (1993) A Simulator Sickness Questionnaire (SSQ): A New Method for Quantifying Simulator Sickness. *International Journal of Aviation Psychology* 3 (3): 203-220.
- Lane, R. D., Chua, P. M-L. and Dolan, R. J. (1999) Common effects of emotional valence, arousal and attention on neural activation during visual processing of pictures, *Neuropsychologia*, 37(9), 989-997.
- Meehan M., Insko, B., Whitton M., Brooks, F. P. Jr. (2002) Physiological measures of presence in stressful virtual environments, *ACM Transactions on Graphics (TOG)*, 21(3), pp 645-652.
- Morie, J. F., (2002) "Coercive Narrative, Motivation and Role Playing in Virtual Worlds," *Proceedings of the 6th World Multiconference on Systemics, Cybernetics and Informatics*, Vol. XII, Industrial Systems and Engineering II, July 2002: 473-479.
- Tulving, E., and D. L. Schacter (1990) Priming and human memory systems. *Science* 247:301-306.
- Schacter, D. L., and R. L. Buckner. (1998) Priming and the brain. *Neuron* 20:185-195.
- Usoh, M., E. Catena, S. Arman, and M. Slater (2000) Using Presence Questionnaires in Reality. *Presence: Teleoperators and Virtual Environments* 9(5): 497-503.
- Witmer, B.G. and Singer, M. J. (1998). Measuring presence in virtual environments: A Presence Questionnaire. *Presence: Teleoperators and Virtual Environments*, 7 (3), 225-240.
- Walk, R.D. & Gibson, E.J. (1961) "A comparative and analytical study of visual depth perception" *Psychological Monographs* 75, 519.